ELSEVIER

Wear 201 (1996) 277

WEAR

Author Index of Volume 201

Abanteriba, S., 26
Afanasyev, S.N., 38
Ai, X., 178
Amateau, M.F., 233
Andersson, P., 1
Arima, T., 145

Baoyu, S., 94
Barber, G.C., 15
Beek, A.v., 45
Bhagat, R.B., 233
Boher, C., 163
Brezler III, R.A., 233

Caughlin, T.A., 209
Celis, J.-P., 171
Chen, Z., 227
Chiou, Y.-C., 217
Conway, C., 233
Czołczyński, K., 265

De Baets, P., 80
Deng, J., 178
Deuis, R.L., 132
Devillers, R., 186

Fox-Rabinovich, G.S., 38

Gharbi, T., 186
Giannakoudaris, H., 26
Goh, G.K.L., 199

Hemmi, Y., 145
Hosokawa, M., 145

Jacobson, S., 244, 255
Jr, ., 233
Juhanko, J., 1

Kapsa, P., 163
Kassman Rudolphi, Å., 255
Khalil, Y.F., 64
Kotvis, P.V., 10
Kovalev, A.I., 38
Kula, P., 155
Kuo, W.-F., 217

Lara, J., 10
Larson, J.E., 15
Larson, J.M., 15
Lee, R.-T., 217
Lepic, L., 45
Lesquois, O., 163
Lim, L.C., 199
Lim, S.C., 199
Lingard, S., 58
Lintula, P., 1
Liqin, W., 94
Liu, H., 51
Liu, J., 99
Luo, Z., 99

Mackwood, W.A., 209
Matsui, K., 193
Miao, H., 99
Mohrbacher, H., 171
Murakami, R., 193

Nanos, J., 26
Narasimhan, S., 15
Nikkilä, A.-P., 1

Oishi, M., 145

Rahman, M., 199
Romero, R.R., 121
Rosner, D.E., 64
Rudolphi, Å.K., 244

Sadeghi, F., 106
Saito, N., 145
Sandoz, P., 186
Serra, J.J., 163
Serror, S., 163
Sheasby, J.S., 209
Subramanian, C., 132
Surerus, K., 10

Terheci, M., 26
Thomson, P.F., 227
Tribillon, G., 186
Tysoe, W.T., 10

Van De Velde, F., 80
Varma, S.K., 121

Wang, R., 58
Wang, Y.S., 15
Wong, P.L., 58
Wu, P.-Q., 171

Xu, G., 106
Xue, Q., 51

Yellup, J.M., 132
Young, H.-T., 117
Yulin, Q., 94

Zhang, J., 178
Zhao, X., 99
Zhu, B., 99

Elsevier Science S.A.

6

ELSEVIER

Wear 201 (1996) 279–282

WEAR

Subject Index of Volume 201

Abrasion
abrasive wear of aluminium composites—a review, 132
Abrasive suspensions
erosion rate prediction and correlation technique for ceramic surfaces exposed to high speed flows of abrasive suspensions, 64
Additive
effect of two-phase liquid lubricant on fatigue life, 94
Adhesive wear
effects of antiwear additives on the friction and wear of Si_3N_4/steel sliding contacts, 99
Alumina
transitions in wear mechanisms of alumina cutting tools, 199
Aluminium
abrasive wear of aluminium composites—a review, 132
Aluminium sheet
friction against superplastic aluminium alloys, 227
Antiwear additives
the effect of steel hardness on the performance of antiwear additives, 209
Aqueous solutions
the fretting behaviour of PVD TiN coatings in aqueous solutions, 171
Aspect
roughness measurement by confocal microscopy for brightness characterization and surface waviness visibility evaluation, 186

Bearing
rubber supported hydrostatic thrust bearings with elastic bearing surfaces of infinite length, 45
Boundary lubrication
the effect of steel hardness on the performance of antiwear additives, 209
Brightness measurement
roughness measurement by confocal microscopy for brightness characterization and surface waviness visibility evaluation, 186

Carbon tetrachloride
the nature of the lubricating films formed by carbon tetrachloride under conditions of extreme pressure, 10
Cast iron
tribological behaviour of yttria-stabilised zirconia under dry sliding conditions when tested against itself and grey automotive cast iron, 26
Ceramic composite
effect of whisker orientation on the friction and wear behaviour of $Al_2O_3/TiB_2/SiC_w$ composites in sliding wear tests and in machining processes, 178
Ceramic cutting tools
transitions in wear mechanisms of alumina cutting tools, 199
Ceramics
influence of topography on the running-in of water-lubricated silicon carbide journal bearings, 1

Elsevier Science S.A.

tribological behaviour of yttria-stabilised zirconia under dry sliding conditions when tested against itself and grey automotive cast iron, 26
effects of antiwear additives on the friction and wear of Si_3N_4/steel sliding contacts, 99
Ceramic targets
erosion rate prediction and correlation technique for ceramic surfaces exposed to high speed flows of abrasive suspensions, 64
Cermets
tribological performance evaluation of tungsten carbide-based cermets and development of a fracture mechanics wear model, 233
CFBC-cyclone erosion
erosion rate prediction and correlation technique for ceramic surfaces exposed to high speed flows of abrasive suspensions, 64
Coefficient of friction
friction against superplastic aluminium alloys, 227
Composite
abrasive wear of aluminium composites—a review, 132
Confocal microscopy
roughness measurement by confocal microscopy for brightness characterization and surface waviness visibility evaluation, 186
Contact
the "self-lubrication" by hydrogen during dry friction of hardened surface layers, 155
Contact resistance
a study on lubrication mechanism and wear scar in sliding circular contacts, 217
Contact welding
gross plastic fretting—examination of the gross weld regime, 255
Copper matrix composite
evaluation of mechanical and wear properties of potassium acid titanate whisker-reinforced copper matrix composites formed by hot isostatic pressing, 193
Corrosive wear
the effect of impact and continuous scratches on the corrosive wear behavior of Fe–18%Cr–5%Ni alloy and 304 stainless steel for two grain sizes, 121
Cutting
cutting temperature responses to flank wear, 117
Cutting tools
characteristic features of wear in tools made of high-speed steels with surface engineered coatings. I. Wear characteristics of surface engineered high-speed steel cutting tools, 38

Damage
spall initiation and propagation due to debris denting, 106
Deceleration
mathematical approach of the influencing factors on stick–slip induced by decelerative motion, 80
Delamination wear
sliding wear tests of stainless steel couples in water at high temperature, high sliding speed and high load, 145

Density
pressure and temperature dependence of the density of liquid lubricants, 58
Dent
spall initiation and propagation due to debris denting, 106
Distilled water
the fretting behaviour of PVD TiN coatings in aqueous solutions, 171

EHL
spall initiation and propagation due to debris denting, 106
Elastic
rubber supported hydrostatic thrust bearings with elastic bearing surfaces of infinite length, 45
Elastohydrodynamic lubrication
pressure and temperature dependence of the density of liquid lubricants, 58
Elasto-hydrostatic
rubber supported hydrostatic thrust bearings with elastic bearing surfaces of infinite length, 45
Electrical contact
gross plastic fretting—examination of the gross weld regime, 255
Electrical contacts
gross plastic fretting mechanical deterioration of silver coated electrical contacts, 244
Engine valve seat wear
the effect of operating conditions on heavy duty engine valve seat wear, 15
Equation of state
pressure and temperature dependence of the density of liquid lubricants, 58
Erosion rates
erosion rate prediction and correlation technique for ceramic surfaces exposed to high speed flows of abrasive suspensions, 64
Extreme pressure lubrication
the nature of the lubricating films formed by carbon tetrachloride under conditions of extreme pressure, 10

Fatigue life
effect of two-phase liquid lubricant on fatigue life, 94
Fe–Cr–Ni alloy
the effect of impact and continuous scratches on the corrosive wear behavior of Fe–18%Cr–5%Ni alloy and 304 stainless steel for two grain sizes, 121
Four-ball tester
a study on lubrication mechanism and wear scar in sliding circular contacts, 217
Fracture mechanics
tribological performance evaluation of tungsten carbide-based cermets and development of a fracture mechanics wear model, 233
Fretting
the fretting behaviour of PVD TiN coatings in aqueous solutions, 171
gross plastic fretting mechanical deterioration of silver coated electrical contacts, 244
gross plastic fretting—examination of the gross weld regime, 255
Friction
the "self-lubrication" by hydrogen during dry friction of hardened surface layers, 155
friction against superplastic aluminium alloys, 227
tribological performance evaluation of tungsten carbide-based cermets and development of a fracture mechanics wear model, 233
Friction and wear
effect of whisker orientation on the friction and wear behaviour of $Al_2O_3/TiB_2/SiC_w$ composites in sliding wear tests and in machining processes, 178
Friction coefficient
degradations in a high-speed sliding contact in transient regime, 163

Gas bearings
how to obtain stiffness and damping coefficients of gas bearings, 265

Hardness
the effect of steel hardness on the performance of antiwear additives, 209
tribological performance evaluation of tungsten carbide-based cermets and development of a fracture mechanics wear model, 233
Heavy duty engine valve
the effect of operating conditions on heavy duty engine valve seat wear, 15
High-speed steel
characteristic features of wear in tools made of high-speed steels with surface engineered coatings. I. Wear characteristics of surface engineered high-speed steel cutting tools, 38
High speed tribology
degradations in a high-speed sliding contact in transient regime, 163
High-temperature water
sliding wear tests of stainless steel couples in water at high temperature, high sliding speed and high load, 145
Hot isostatic pressing
evaluation of mechanical and wear properties of potassium acid titanate whisker-reinforced copper matrix composites formed by hot isostatic pressing, 193
Hydrogen
the "self-lubrication" by hydrogen during dry friction of hardened surface layers, 155
Hydrostatic
rubber supported hydrostatic thrust bearings with elastic bearing surfaces of infinite length, 45

Image analysis
roughness measurement by confocal microscopy for brightness characterization and surface waviness visibility evaluation, 186
Impact
the effect of impact and continuous scratches on the corrosive wear behavior of Fe–18%Cr–5%Ni alloy and 304 stainless steel for two grain sizes, 121
Inertial impaction
erosion rate prediction and correlation technique for ceramic surfaces exposed to high speed flows of abrasive suspensions, 64
Inverse heat conduction problem
degradations in a high-speed sliding contact in transient regime, 163
Iron
the nature of the lubricating films formed by carbon tetrachloride under conditions of extreme pressure, 10

Journal bearings
influence of topography on the running-in of water-lubricated silicon carbide journal bearings, 1

Liquid lubricants
pressure and temperature dependence of the density of liquid lubricants, 58
Lubrication mechanism
a study on lubrication mechanism and wear scar in sliding circular contacts, 217

Mechanism analysis
effect of two-phase liquid lubricant on fatigue life, 94
Microfracture
effects of antiwear additives on the friction and wear of Si_3N_4/steel sliding contacts, 99
Microstructure
abrasive wear of aluminium composites—a review, 132
Models
abrasive wear of aluminium composites—a review, 132

Mössbauer spectroscopy
the nature of the lubricating films formed by carbon tetrachloride under conditions of extreme pressure, 10

Plastic deformation
gross plastic fretting mechanical deterioration of silver coated electrical contacts, 244
Plastic strain
spall initiation and propagation due to debris denting, 106
Potassium acid titanate whisker
evaluation of mechanical and wear properties of potassium acid titanate whisker-reinforced copper matrix composites formed by hot isostatic pressing, 193
Pressure
pressure and temperature dependence of the density of liquid lubricants, 58

Roughness
roughness measurement by confocal microscopy for brightness characterization and surface waviness visibility evaluation, 186
Rubber
rubber supported hydrostatic thrust bearings with elastic bearing surfaces of infinite length, 45

Scratches
the effect of impact and continuous scratches on the corrosive wear behavior of Fe–18%Cr–5%Ni alloy and 304 stainless steel for two grain sizes, 121
Seat wear simulation
the effect of operating conditions on heavy duty engine valve seat wear, 15
Seawater
the fretting behaviour of PVD TiN coatings in aqueous solutions, 171
Severe wear
sliding wear tests of stainless steel couples in water at high temperature, high sliding speed and high load, 145
Silver coating
gross plastic fretting mechanical deterioration of silver coated electrical contacts, 244
gross plastic fretting—examination of the gross weld regime, 255
Sodium phosphate
the fretting behaviour of PVD TiN coatings in aqueous solutions, 171
Spall
spall initiation and propagation due to debris denting, 106
Stainless steel
the effect of impact and continuous scratches on the corrosive wear behavior of Fe–18%Cr–5%Ni alloy and 304 stainless steel for two grain sizes, 121
sliding wear tests of stainless steel couples in water at high temperature, high sliding speed and high load, 145
Steady state wear rate
tribological performance evaluation of tungsten carbide-based cermets and development of a fracture mechanics wear model, 233
Stick–slip
mathematical approach of the influencing factors on stick–slip induced by decelerative motion, 80
Stiffness and damping coefficients
how to obtain stiffness and damping coefficients of gas bearings, 265
Superplastic aluminium alloys
friction against superplastic aluminium alloys, 227
Superplastic forming
friction against superplastic aluminium alloys, 227
Surface chemistry
the nature of the lubricating films formed by carbon tetrachloride under conditions of extreme pressure, 10
Surface engineered coatings
characteristic features of wear in tools made of high-speed steels with surface engineered coatings. I. Wear characteristics of surface engineered high-speed steel cutting tools, 38
Surface layers
the "self-lubrication" by hydrogen during dry friction of hardened surface layers, 155
Surface temperature
degradations in a high-speed sliding contact in transient regime, 163

Temperature
pressure and temperature dependence of the density of liquid lubricants, 58
cutting temperature responses to flank wear, 117
Tensile strength
evaluation of mechanical and wear properties of potassium acid titanate whisker-reinforced copper matrix composites formed by hot isostatic pressing, 193
Test
effect of two-phase liquid lubricant on fatigue life, 94
TiN coatings
the fretting behaviour of PVD TiN coatings in aqueous solutions, 171
Tool life
cutting temperature responses to flank wear, 117
Transformation toughening
tribological behaviour of yttria-stabilised zirconia under dry sliding conditions when tested against itself and grey automotive cast iron, 26
Transient regime
degradations in a high-speed sliding contact in transient regime, 163
Tribochemistry
effects of antiwear additives on the friction and wear of Si_3N_4/steel sliding contacts, 99
Tube coatings
erosion rate prediction and correlation technique for ceramic surfaces exposed to high speed flows of abrasive suspensions, 64
Tungsten carbide
tribological performance evaluation of tungsten carbide-based cermets and development of a fracture mechanics wear model, 233
Turbine blade erosion
erosion rate prediction and correlation technique for ceramic surfaces exposed to high speed flows of abrasive suspensions, 64
Two-phase liquid lubricant
effect of two-phase liquid lubricant on fatigue life, 94

Water lubrication
influence of topography on the running-in of water-lubricated silicon carbide journal bearings, 1
wear mechanisms of zirconia/steel reciprocating sliding couple under water lubrication, 51
Wear
characteristic features of wear in tools made of high-speed steels with surface engineered coatings. I. Wear characteristics of surface engineered high-speed steel cutting tools, 38
cutting temperature responses to flank wear, 117
the fretting behaviour of PVD TiN coatings in aqueous solutions, 171
tribological performance evaluation of tungsten carbide-based cermets and development of a fracture mechanics wear model, 233
Wear mechanisms
the effect of operating conditions on heavy duty engine valve seat wear, 15
tribological behaviour of yttria-stabilised zirconia under dry sliding conditions when tested against itself and grey automotive cast iron, 26

wear mechanisms of zirconia/steel reciprocating sliding couple under water lubrication, 51
abrasive wear of aluminium composites—a review, 132
effect of whisker orientation on the friction and wear behaviour of $Al_2O_3/TiB_2/SiC_w$ composites in sliding wear tests and in machining processes, 178
transitions in wear mechanisms of alumina cutting tools, 199
tribological performance evaluation of tungsten carbide-based cermets and development of a fracture mechanics wear model, 233
Wear model
tribological performance evaluation of tungsten carbide-based cermets and development of a fracture mechanics wear model, 233
Wear properties
evaluation of mechanical and wear properties of potassium acid titanate whisker-reinforced copper matrix composites formed by hot isostatic pressing, 193
Wear scar diameter
a study on lubrication mechanism and wear scar in sliding circular contacts, 217
Whisker orientation
effect of whisker orientation on the friction and wear behaviour of $Al_2O_3/TiB_2/SiC_w$ composites in sliding wear tests and in machining processes, 178

Zirconia
tribological behaviour of yttria-stabilised zirconia under dry sliding conditions when tested against itself and grey automotive cast iron, 26
Zirconia ceramics
wear mechanisms of zirconia/steel reciprocating sliding couple under water lubrication, 51